

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/03/2015

Version No. 2

Reviewed on 06/03/2015

### 1 Identification

- **Trade name:** Pallmann P104
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** For professional use only.
- **Application of the substance / the mixture** 1-component polyurethane primer
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 Manufacturer:  
 PALLMANN GmbH  
 Im Kreuz 6  
 D-97076 Würzburg  
 Germany  
 Phone +49 931-27964-0  
 Fax +49 931-27964-50
- Supplier:  
 UFLOOR Systems Inc.  
 14509 E. 33rd. Place, Unit G  
 Aurora, CO 80011  
 Phone: +720-374-4810  
 Toll-Free: +1 866-505-4810  
 Fax: +1 720-374-2113
- **Information department:**  
 Products Development Lab  
 E-Mail: msds.info@uzin-utz.com
- **Emergency telephone number:**  
 For Chemical Emergency Spill Leak Fire Exposure or Accident  
 Call CHEMTREC Day or Night: DOMESTIC NORTH AMERICA 800-424-9300  
 International, call +49 621 60 43 333

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** GHS07, GHS08

- **Signal word** Danger

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2015

Version No. 2

Reviewed on 06/03/2015

Trade name: **Pallmann P104**

(Contd. of page 1)

- **Hazard-determining components of labeling:**

*diphenylmethanediisocyanate, isomeres and homologues*

- **Hazard statements**

*Harmful if inhaled.*

*Causes skin irritation.*

*Causes serious eye irritation.*

*May cause allergy or asthma symptoms or breathing difficulties if inhaled.*

*May cause an allergic skin reaction.*

*Suspected of causing cancer.*

*May cause respiratory irritation.*

*May cause damage to organs through prolonged or repeated exposure.*

- **Precautionary statements**

*Obtain special instructions before use.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*If on skin: Wash with plenty of soap and water.*

*If skin irritation or rash occurs: Get medical advice/attention.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*If eye irritation persists: Get medical advice/attention.*

*IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.*

*If experiencing respiratory symptoms: Call a poison center/doctor.*

- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 1

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = \*1

Fire = 1

Reactivity = 0

- **Other hazards**

*NFPA Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe.*

*NFPA is the National Fire Protection Association.*

*HMIS Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe.*

*HMIS®, the Hazardous Materials Identification System, is a registered mark of the National Paint and Coatings Association (NPCA).*

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** 1-K-PUR-Primer

- **Dangerous components:**

|           |   |         |
|-----------|---|---------|
| 9016-87-9 | diphenylmethanediisocyanate, isomeres and homologues<br>Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;  Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335 | 75-100% |
|-----------|---|---------|

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

US

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/03/2015

Version No. 2

Reviewed on 06/03/2015

Trade name: **Pallmann P104**

(Contd. of page 2)

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**  
Supply fresh air; consult doctor in case of complaints.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
Allergic reactions  
Asthma attacks
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub> extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.
- **Additional information:** Flash point: > 200 °C (> 392°F).

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Wear suitable protective clothing, gloves and eye/face protection.  
Immediately remove all soiled and contaminated clothing.  
Keep away from foodstuffs, beverages and feed.  
Avoid contact with the eyes and skin.  
Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/03/2015

Version No. 2

Reviewed on 06/03/2015

Trade name: **Pallmann P104**

(Contd. of page 3)

- Wash hands before breaks and at the end of work.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
  - Keep receptacle tightly sealed.
  - Protect from humidity and water.
  - Once opened unfinished quantities must be stored in airtight packaging conditions.
- **Specific end use(s)** No further relevant information available.

### \* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
  - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Immediately remove all soiled and contaminated clothing.
  - Wear suitable protective clothing, gloves and eye/face protection.
  - Keep away from foodstuffs, beverages and feed.
  - Avoid contact with the eyes and skin.
  - Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.
  - Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not necessary. Ensure that room is well-ventilated during processing.
- **Protection of hands:**



Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

- **Material of gloves**
  - Butyl rubber, BR
  - Nitrile rubber, NBR
  - Recommended thickness of the material:  $\geq 0.5$  mm
- **Penetration time of glove material**
  - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

US

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/03/2015

Version No. 2

Reviewed on 06/03/2015

Trade name: *Pallmann P104*

(Contd. of page 4)

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

|                         |                 |
|-------------------------|-----------------|
| <b>Form:</b>            | Fluid           |
| <b>Color:</b>           | Brown           |
| <b>Odor:</b>            | Light           |
| <b>Odour threshold:</b> | Not determined. |

- **pH-value:** Not determined.

- **Change in condition**

|                                     |               |
|-------------------------------------|---------------|
| <b>Melting point/Melting range:</b> | Undetermined. |
| <b>Boiling point/Boiling range:</b> | Undetermined. |

- **Flash point:** > 200 °C (> 392 °F)

- **Ignition temperature:** > 400 °C (> 752 °F)

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

|               |                 |
|---------------|-----------------|
| <b>Lower:</b> | Not determined. |
| <b>Upper:</b> | Not determined. |

- **Vapor pressure at 25 °C (77 °F):** 0.0001 hPa

- **Density at 20 °C (68 °F):** 1.24 g/cm<sup>3</sup> (10.348 lbs/gal)

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

- **Water:** Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

|                                  |                 |
|----------------------------------|-----------------|
| <b>Dynamic at 20 °C (68 °F):</b> | 250 mPas        |
| <b>Kinematic:</b>                | Not determined. |

- **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Reactivity**

- **Chemical stability**

- **Thermal decomposition / conditions to be avoided:**

From approx. 260 °C, polymerization and separation of CO<sub>2</sub>

- **Possibility of hazardous reactions**

May produce violent reactions with bases and numerous organic substances including alcohols and amines.

The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result in distortion, blowing and in extreme cases bursting of the container.

- **Conditions to avoid** Avoid heating to above 40 °C and cooling to below 10 °C.

- **Incompatible materials:**

Uncontrolled exothermic reactions occur with amines and alcohols.

During storage, avoid moisture contamination.

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/03/2015

Version No. 2

Reviewed on 06/03/2015

Trade name: **Pallmann P104**

(Contd. of page 5)

· **Hazardous decomposition products:**

*In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomer isocyanates, amines and alcohols may be produced.*

## 11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **Specific symptoms in biological assay:**

· **Primary route(s) of entry:** Inhalation, skin contact, eye contact, ingestion.

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:**

*Sensitization possible through inhalation.*

*Sensitization possible through skin contact.*

· **Additional toxicological information:**

*The product shows the following dangers according to internally approved calculation methods for preparations:*

*Harmful*

*Irritant*

*Based on the properties of the isocyanate components and considering toxicological data on similar preparations, this preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, wheeziness and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability.*

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

3

· **NTP (National Toxicology Program)**

*None of the ingredients is listed.*

· **OSHA-Ca (Occupational Safety & Health Administration)**

*None of the ingredients is listed.*

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

*Diphenylmethane-diisocyanate, isomers and homologues*

*Carcinogenicity: May cause cancer by inhalation. On the basis of these data classification as carcinogenic is therefore required (R40 / H351).*

*Mutagenicity: In vitro and in vivo tests did not show mutagenic effects.*

*Teratogenicity: Did not show teratogenic effects in animal experiments.*

*Reproductive toxicity/Fertility: Based on available data, the classification criteria are not met.*

*Carc. 2*

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/03/2015

Version No. 2

Reviewed on 06/03/2015

Trade name: **Pallmann P104**

(Contd. of page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Do not allow product to reach sewage system.  
Disposal should be in accordance with local, state or national legislation.
- **Uncleaned packagings:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

## 14 Transport information

- **DOT, ADR, ADN, IMDG, IATA** Void
- **UN proper shipping name**
- **DOT, ADR, ADN, IMDG, IATA** Void
- **DOT, ADN, IMDG, IATA**
- **Class** Void
- **DOT, IMDG, IATA** Void
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport/Additional information:** Not regulated as hazardous material according to the above specifications.  
Avoid heating to above 40 °C and cooling to below 10 °C.
- **UN "Model Regulation":** -

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendments and Reauthorization Act)**

- **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

- **Section 313 (Specific toxic chemical listings):**

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65 (California)**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

(Contd. on page 8)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/03/2015

Version No. 2

Reviewed on 06/03/2015

Trade name: **Pallmann P104**

(Contd. of page 7)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

9016-87-9 | diphenylmethanediisocyanate, isomeres and homologues

D; CBD

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS07, GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

diphenylmethanediisocyanate, isomeres and homologues

· **Hazard statements**

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Obtain special instructions before use.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Recommended restriction of use** For professional use only.

· **Contact:**

USA: Daniel Gill, phone + 1 720-374-4810

Germany: Dr. Koette, Tel. +49 931.279.6425

· **Date of preparation / last revision** 06/03/2015 / 1

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)



**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 06/03/2015

Version No. 2

Reviewed on 06/03/2015

**Trade name: Pallmann P104**

(Contd. of page 8)

*IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**Acute Tox. 4: Acute toxicity, Hazard Category 4**Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A**Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1**Skin Sens. 1: Sensitisation - Skin, Hazard Category 1**Carc. 2: Carcinogenicity, Hazard Category 2**STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3**STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2***· \* Data compared to the previous version altered.**

US